
GEBERIT

INSTALLATION NOTES

MONTAGEHINWEISE
CONSEILS DE MONTAGE
INDICAZIONI DI MONTAGGIO

KNOW HOW INSTALLED



972.723.00.0(01)

Selnova Square	Settings for 6/4 litre flush			Settings for 4/2.6 litre flush		
WC	Full flush	Partial flush	Fill valve (X)	Full flush	Partial flush	Fill valve (X)
Square, rimfree, BTW, horizontal or vertical outlet	0	47	62 mm	4	46	62 mm
Square, rimfree, horizontal outlet, semi-shrouded	0	47	62 mm	4	46	62 mm
Rimfree, horizontal outlet, semi-shrouded	0*	46*	62 mm*	n/a	n/a	n/a
Horizontal outlet, semi-shrouded	0	48	69 mm	4	46	69 mm
Horizontal outlet	0	48	69 mm	4	46	69 mm
vertical outlet	0	48	69 mm	4	46	69 mm
Comfort, raised, horizontal outlet	0	48	69 mm	4	46	69 mm
Compact, rimfree, multidirectional outlet	0	47	62 mm	4	46	62 mm
Vertical outlet, semi-shrouded	0	47	62 mm	4	46	62 mm
Rimfree, multidirectional outlet, semi-shrouded	0	47	62 mm	4	46	62 mm

* 5/3 litre flush only

Selnova	Settings for 6/4 litre flush			Settings for 4/2.6 litre flush		
WC	Full flush	Partial flush	Fill valve (X)	Full flush	Partial flush	Fill valve (X)
Rimfree, horizontal outlet, semi-shrouded	0*	46*	70 mm*	n/a	n/a	n/a
Horizontal outlet	0	48	55 mm	2	47	76 mm
Horizontal outlet, semi-shrouded	0	48	55 mm	2	47	76 mm
Vertical outlet	0	48	55 mm	2	47	76 mm
Comfort, raised, horizontal outlet	0	48	55 mm	2	47	76 mm
Vertical outlet, semi-shrouded	0	47	60 mm	0	46	80 mm
Rimfree, multidirectional outlet, semi-shrouded	0	47	60 mm	0	46	80 mm

* 5/3 litre flush only

Alcona	Settings for 6/4 litre flush			Settings for 4/2.6 litre flush		
WC	Full flush	Partial flush	Fill valve (X)	Full flush	Partial flush	Fill valve (X)
Round, rimfree, horizontal outlet	0	47	31 mm	0	48	78 mm
Round, horizontal outlet	0	48	48 mm	1.5	48	75 mm
Round, raised, rimfree, horizontal outlet	0	48	31 mm	4	46	78 mm
Square, rimfree, horizontal outlet	0	47	31 mm	0	48	78 mm

Alcona Square	Settings for 6/4 litre flush			Settings for 4/2.6 litre flush		
WC	Full flush	Partial flush	Fill valve (X)	Full flush	Partial flush	Fill valve (X)
Square, rimfree, horizontal outlet	0	47	37 mm	4	45	50 mm
Round, horizontal outlet	0	47	47 mm	4	45	57 mm


Option	Settings for 6/4 litre flush			Settings for 4/2.6 litre flush		
WC	Full flush	Partial flush	Fill valve (X)	Full flush	Partial flush	Fill valve (X)
Option	0	48	60 mm	n/a	n/a	n/a
Raised	0	48	60 mm	n/a	n/a	n/a


18014413264710923 © 12-2025
972.723.00.0(01)


Flush valve (Type 240)




Full flush








Partial flush







Installation manual



https://doc.geberit.com/966.780.00.0

Fill valve (Type 323AG)





Installation manual



https://doc.geberit.com/972.489.00.0

Geberit International AG
Schachenstrasse 77, CH-8645 Jona
documentation@geberit.com
www.geberit.com

18014413264710923 © 12-2025
972.723.00.0(01)